



## Set: TORSIOTRONIC Torque screwdriver

### TORSIOTRONIC 10/29

Art.No. 96510000  
GTIN 4018754323289  
Model TORSIOTRONIC 10/29



#### Label.

Set: TORSIOTRONIC Torque screwdriver No. TORSIOTRONIC 10/29 29pcs

**TORSIOTRONIC** - this is the world's first electromechanical torque screwdriver. The patented mechanism with ball mechanism triggers audibly and tangibly when the target torque is reached. The tool measures as precisely as only an electronic torque product can. A fine toothed ratchet, many programming options and a micro-USB interface make the TORSIOTRONIC the ideal tool when documentation of the work steps is required, low torques are applied or complex screwdriving sequences have to be followed.

#### • Content 29 parts:

- 1 Electromechanical Torque Screwdriver No. TORSIOTRONIC 10 100-1000 cN-m 1/4".
- 1 CD SENSOMASTER 4
- 1 insulation washer
- 1 cross handle 1/4" with sliding piece L. 250 mm
- 1 socket wrench insert 1/4" with hexagon no. 40 SW 4; 5; 5.5; 6; 7; 8; 9; 10 mm
- 3 Bit Screwdriver Inserts 1/4" for cross-slotted head screws PH1; PH2, PH3
- 3 bit screwdriver inserts 1/4" for cross-head screws PZ1; PZ2, PZ3
- 4 INHEX inserts 1/4" No. 44 K: SW 3; 4; 5; 6 mm
- 5 Screwdriver bits 1/4" for inside TORX® screws No. 44 KTX: T8; T9; T10; T15; T20
- 5 Screwdriver bits 1/4" for inside TORX® screws with hole no. 44 KTXB: T8; T9; T10; T15; T20
- 1 bit holder 1/4" L.25mm
- 1 TORX® offset screwdriver No. 10766 T8
- 1 USB connection cable
- 1 lithium-ion battery

#### • Top feature of the torque screwdriver:

- electromechanical indicating and triggering
- integrated bit ratchet with 80 teeth for a working angle of only 4.5° and thus particularly finely graduated working - ideal for screw connections that are difficult to access
- after release, the slipping mechanism prevents the set tightening torque from being unintentionally exceeded and the screw from being overtightened

- clear display of all relevant information on a bright and battery-saving OLED colour display - readable from virtually any angle
- Visual evaluation of screw tightening by means of traffic light colours in the display and LEDs on the side
- Display in various languages
- long lasting battery life with battery saving standby mode. The batteries can be changed quickly and easily.
- stores up to 2,500 screwdriving operations and sequences for later readout and documentation on the PC via integrated micro-USB interface
- Target torque and tolerances for evaluating the measured value can be set individually
- short training period thanks to almost self-explanatory operating elements and an easily understandable menu structure
- three operating modes (Click, Track, Peak Hold)
- optical, acoustic and haptic stop signal
- the ergonomically optimised ball handle enables fatigue-free working and is resistant to oils, greases, fuels, brake fluids and Skydrol
- Left and right suit
- with 1/4" external square (6.3 DIN 3120/ISO 1174-1) to accommodate 1/4" sockets
- with 1/4" inner square in the end of the handle (6.3 DIN 3120/ISO 1174-1) to accommodate a 1/4" cross handle
- Measurement units: cN-m, N-m, ft-lb, in-lb, in-oz
- included in delivery: Software SENSOMASTER 4, USB cable, bit holder, cross handle (size 10)
- Supplied with lithium battery 3.6 V, type 18650, packed according to UN 3480
- patented
- Certificate according to DIN EN ISO 6789-2:2017
- in a sturdy plastic box
- Display deviation  $\pm 4$

## Advantages.

STAHLWILLE: For over 160 years, we as a traditional German company from Wuppertal have stood for tools that are appreciated around the world for their excellent quality

## Technical Attributes.

Number of tools	29
Width mm (b)	227 mm
Height mm (h)	70 mm
Length mm (L)	420 mm

## Logistics data.

Length (IFS)	420
Width (IFS)	227
Height (IFS)	70
Length (packed, mm)	420
Width (packed, mm)	227
Height (packed, mm)	70
Volume (packed, mm)	6.6738 dm <sup>3</sup>
Code	96510000
Weight (gross, kg)	2,000
Weight PAP (kg)	0,000
Weight PVC (kg)	0,000

GTIN	4018754323289
Numbers of content units per order units	1
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/Electrical Act	Kleingeräte B2C
Customs tariff no.	82041100

## Parts list.



11180010  
Bit holder



08010003  
Bit screwdriver



08010002  
Bit screwdriver



08010001  
Bit screwdriver



08050003  
Bit screwdriver



08050002  
Bit screwdriver



08050001  
Bit screwdriver



01120006  
INHEX socket



01120005  
INHEX socket



01120004  
INHEX socket



01120003  
INHEX socket



01351020  
Screwdriver socket



01351015  
Screwdriver socket



01351010  
Screwdriver socket



01351009  
Screwdriver socket



01351008  
Screwdriver socket



01350020  
Screwdriver socket



01350015  
Screwdriver socket



01350010  
Screwdriver socket



01350009  
Screwdriver socket



01350008  
Screwdriver socket



01010055  
Sockets



01010010  
Sockets



01010009  
Sockets



01010008  
Sockets



01010007  
Sockets



01010006  
Sockets



01010005  
Sockets



01010004  
Sockets



51070000  
Cross handle



51070100  
Electromechanical  
torque screwdriver  
TORSIOTRONIC



51110057  
USB cable



81271013  
Socket set

## Varianten.

Code	Article number (ERP)	Article description (Autom.)	GTIN
96510000	TORSIOTRONIC 10/29	Set: TORSIOTRONIC Torque screwdriver No. TORSIOTRONIC 10/29 29pcs	4018754323289

## GTIN-Code.



4 018754 323289