WIDE RANGE THREE POINTS INTERNAL MICROMETERS

 Meet DIN863-4 Graduation 0.001mm Carbide measuring faces Ratchet stop Setting rings are included (except 200-300mm) 				INSPECTION		Unit: mm
Code	Range	Accuracy	Setting ring			122
3228-70*	50-70mm	5µm	Ø50mm (included)			
3228-100*	70-100mm	5µm	Ø70mm (included)			
3228-150*	100-150mm	6µm	Ø100mm (included)			
3228-250*	150-250mm	8µm	Ø150mm (included)		E C	
3228-300*	200-300mm	9µm	Ø200mm (optional)	setting ring		0.5
*Supplied wi	th manufacture	er inspection	certificate		3228-70	1

PECTION

extension rod

(included)

DIGITAL WIDE RANGE THREE POINTS INTERNAL MICROMETERS

- Meet DIN863-4
- Resolution 0.001mm/0.00005"
- (resolution of **3128-300** is 0.001mm/0.0001") IP54 dust/waterproof
- Buttons: on/off, set, mm/inch, ABS/INC
- Data output
- Automatic power off

<i>4INSIZE

- Carbide measuring faces
- Ratchet stop
- Supplied with extension rods
- Setting rings are included (except 200-300mm)
- Optional accessary: data output cable (code 7315-30, 7302-30)






Code	Range	Accuracy	Setting ring	Extension rod (included)
3128-70*	50-70mm/1.97-2.76"	5µm	Ø50mm (included)	150mm
3128-100*	70-100mm/2.76-3.94"	5µm	Ø70mm (included)	150mm
3128-150*	100-150mm/3.94-5.91"	6µm	Ø100mm (included)	150mm
3128-250*	150-250mm/5.91-9.84"	8µm	Ø150mm (included)	150mm
3128-300*	200-300mm/7.87-11.81"	9µm	Ø200mm (optional)	150mm

*Supplied with manufacturer inspection certificate


INSIDE MICROMETERS (ECONOMIC TYPE)



https://precishop.hu







ATTENTION: LOW PARALLELISM