

VETERINARY SCALES

Animal scales for weighing various animals such as rabbits, cats, dogs, snakes, sheep, etc.

Electronic animal scales from KERN are the very best tool for checking animal weight. KERN animal scales stand out from the crowd because they are easy to use, have a high degree of mobility, with robust technology, a large display and ergonomic design. From scales for small animals, which are also ideal for weighing animal feed in line with a diet sheet, through to high-capacity floor scales for animals weighing up to 300 kg, right up to hanging and crane scales for mobile weighing of animals up to 1 ton, KERN's veterinary scale range offers a wide choice.

Many useful functions assist the vet, animal keeper or pet owner in their daily work with the animal. Thanks to a special animal weighing program, a steady weight will be displayed, even if the animal moves during the weighing process. You can use the practical HOLD function, which means the obtained weight will continue to be displayed even after the animal has been removed from the scale. You therefore have time to take care of the animal first.

Whether stationary in a veterinary practice, or mobile at the home of a pet owner, in enclosures or in the wild, the power supply to the KERN veterinary scales is always guaranteed thanks to mains or battery operation.





Discover more details and matching accessories online!

Practical assistant for the mobile weighing of heavy pets, animal feed etc. up to 1 ton!

Features

- Thanks to the animal weighing function, it can also be used by vets. Compact - so it can be stored in the vet's case and is ideally suited for heavy pets
- Hold function: For easy reading of the weighing result, the display can be „frozen“ in different ways. Either automatically when the weighing value remains unchanged or manually by pressing the Hold key
- Varied options for hanging the items, thanks to the hook included as standard (not with models HCB with [Max] ≥ 0.5 t)
- Peak load display (peak hold), Measuring frequency 5 Hz

KERN HCB

- [Max] ≤ 200 kg: Snap link (stainless steel) with safety catch and hook (stainless steel) as standard
- [Max] ≥ 500 kg: Reinforced version for heavy loads. Snap link and hook not included

KERN HDB

- With practical carrying handle
- Hinged hook (steel)
- Handy and mobile

Technical data

- LCD display, digit height 12 mm
- KERN HCB: Hole diameter of load support, model with
[Max] ≤ 200 kg: approx. 14 mm
[Max] ≥ 500 kg: approx. 16 mm
- KERN HCB: Ready for use: Batteries included, 3×1.5 V AA, operating time up to 300 h
- KERN HDB: Ready for use: Batteries included, 2×1.5 V AAA, operating time up to 100 h

STANDARD



OPTION



Model	Weighing capacity	Readability	Dimensions housing	Net weight
	[Max] kg	[d] kg	W×D×H mm	approx. kg
Stainless steel hook				
HCB 20K10	20	0,01	82×43×153	0,30
HCB 50K20	50	0,02	82×43×153	0,30
HCB 99K50	99	0,05	82×43×153	0,30
HCB 100K200	100	0,2	82×43×153	0,30
HCB 200K100	200	0,1	82×43×153	0,30
HCB 1T-3	1000	2	82×48×153	0,60
Steel hook				
HDB 5K5N	5	0,005	72×25×105	0,20
HDB 10K10N	10	0,01	72×25×105	0,20



Discover more details and matching accessories online!

All-purpose small pet scale for mobile and stationary use

Features

- Ideal table scale for weighing small animals or for the laboratory
- Particularly flat design
- Plastic weighing plate, can be removed
- Simple and convenient 2-key operation
- Tare function facilitates formulation work
- Easy and hygienic cleaning
- Ready for use: Batteries included
- Socket for mains adapter included

Technical data

- Large LCD display, digit height 15 mm
- Dimensions weighing surface
 - A** \varnothing 82 mm, plastic, with conductive lacquer
 - B** \varnothing 105 mm, plastic
 - C** \varnothing 150 mm, plastic, see larger picture
- Batteries included, 9 V block, respectively 2x1.5 V AA
- Permissible ambient temperature 5 °C/35 °C

STANDARD



OPTION



Model	Weighing capacity	Readability	Weighing plate	Dimensions housing W×D×H mm	Net weight approx. kg
	[Max] g	[d] g			
KERN					
EMB 200-3	200	0,001	A	170×244×54	0,85
EMB 200-2	200	0,01	B	170×244×39	0,50
EMB 600-2	600	0,01	B	170×244×39	0,50
EMB 2000-2	2000	0,01	C	170×244×39	0,90
EMB 500-1	500	0,1	C	170×244×39	0,55
EMB 1200-1	1200	0,1	C	170×245×39	0,55
EMB 6000-1	6000	0,1	C	170×244×39	0,55
EMB 2200-0	2200	1	C	170×244×39	0,55
EMB 5.2K1	5200	1	C	170×244×39	0,55
EMB 5.2K5	5200	5	C	170×244×39	0,55



Discover more details and matching accessories online!

Entry level model in the low-cost range with large weighing plate

Features

- Large, shock proof weighing plate made of plastic
- Particularly flat design
- Ergonomically optimised key pad with large keys and a high-contrast display
- Secure and non-slip positioning with rubber feet
- Adjusting program CAL for quick setting of the balance accuracy, external test weights at an additional price
- Draught shield standard for models with weighing plate size **A**, weighing space W×D×H 145×145×65 mm

Technical data

- Large LCD display, digit height 25 mm
- Dimensions weighing surface
 - A** ø 105 mm, plastic, with conductive lacquer
 - B** W×D 175×190 mm, plastic, see larger picture
- Overall dimensions W×D×H 200×280×65 mm
- Optional battery operation, 9 V block not included in scope of delivery, operating time up to 40 h
- Mains adapter external, standard
- Net weight approx. 1,6 kg
- Permissible ambient temperature 5 °C/35 °C

STANDARD



OPTION



Model	Weighing capacity [Max] g	Readability [d] g	Weighing plate
KERN			
EMS 300-3	300	0,001	A
EMS 3000-2	3000	0,01	B
EMS 6K0.1	6000	0,1	B
EMS 12K0.1	12000	0,1	B
EMS 6K1	6000	1	B
EMS 12K1	12000	1	B



Discover more details and matching accessories online!

Compact veterinary scale for diverse applications – also with XL platform

Features

- Platform scale to weigh animals
- Weighing plate: Easy and hygienic cleaning
KERN EOB: stainless steel
KERN EOE: steel, lacquered
- Simple and convenient 4-key operation
- Animal weighing program: While weighing animals that continue to move during the weighing process, a mean average weight value is determined
- Integrated AUTO-OFF function to preserve the batteries
- Wall mount for display device, standard
- Universal external mains adapter included with delivery
- Protective working cover included with delivery

Technical data

- Large LCD display, digit height 25 mm
- Weighing platform dimensions
A W×D×H 315×305×57 mm
B W×D×H 550×550×58 mm
C W×D×H 950×500×58 mm
- Dimensions of display device W×D×H 235×114×51 mm
- Optional battery operation, 4×1.5 V AA not included in scope of delivery, operating time up to 60 h (EOB), 100 h (EOE)
- Permissible ambient temperature 5 °C/35 °C

STANDARD




OPTION



Model	Weighing capacity [Max] kg	Readability [d] g	Weighing plate	Cable length (Spiral cable) approx. m	Net weight approx. kg	Options
						Calibr. Certificate DAkKS accr. KERN
KERN						
EOB 15K5	15	5	A	1,8 m	3,8	963-128
EOB 35K10	35	10	A	1,8 m	3,8	963-128
EOB 60K20	60	20	A	1,8 m	3,8	963-129
EOB 60K20L	60	20	B	2,7 m	13	963-129
EOB 150K50XL	150	50	C	2,7 m	17	963-129
EOE 150K50XL	150	50	C	2 m	18	963-129
EOE 300K100XL	300	100	C	2 m	18	963-129

NEW



Discover more details and matching accessories online!

Cordless animal scales for flexible use in practices and clinics

Features

- Robust platform scales for weighing larger animals such as dogs or cats
- Wireless radio connection between platform and display device – no risk of damage to the cable, e.g. due to biting
- Three radio channels for connecting several platforms to one display device
- Tare activation by hand movement thanks to integrated infrared sensor – hygienic and contactless (can be deactivated)
- Stainless steel weighing plate, easy cleaning, painted steel base
- The low platform height facilitates access
- **1** Non-slip rubber mat included with delivery

- Animal weighing program: While weighing animals that continue to move during the weighing process, a mean average weight value is determined
- Simple and convenient 5-key operation
- Integrated AUTO-OFF function to preserve the batteries
- **2** The scale can be easily transported using rollers and a handle and does not require much storage space
- Two external mains adapters as standard for connecting the display device and platform
- **3** Wall mount for display device, standard
- Protective working cover included with delivery

Technical data

- Large LCD display, digit height 25 mm
- Dimensions of display device W×D×H 210×110×45 mm
- Weighing platform dimensions stainless steel W×D×H 900×550×60 mm
- Optional battery operation, 6×1.5 V AA not included in scope of delivery, operating time up to 70 h
- Permissible ambient temperature 10 °C/35 °C
- Net weight approx. 20 kg

Main scope of applications

- Pet supplies
- Veterinary practices and clinics
- Medical technology
- Logistics and dispatch
- Packaging and order picking
- Quality assurance

STANDARD



OPTION



Model	Weighing capacity	Readability	Options
			Calibr. Certificate
KERN	[Max] kg	[d] g	DAkkS accr. KERN
EOS 150K-2	150	50	963-129



Discover more details and matching accessories online!

Affordable veterinary model that is suitable for stationary or mobile use

Features

- Robust platform scale to weigh large animals
- Weighing plate stainless steel, painted steel base. Easy and hygienic cleaning
- The low platform height facilitates access
- The scale can be easily transported using rollers and a handle and does not require much storage space
- Animal weighing program: While weighing animals that continue to move during the weighing process, a mean average weight value is determined
- Simple and convenient 4-key operation
- Integrated AUTO-OFF function to preserve the batteries
- Wall mount for display device, standard
- Non-slip rubber mat included with delivery
- Universal external mains adapter included with delivery standard
- Protective working cover included with delivery

Technical data

- Large LCD display, digit height 25 mm
- Dimensions of display device W×D×H 235×114×51 mm
- Cable length display device, spiral cable, approx. 2,7 m
- Weighing platform dimensions, stainless steel, W×D×H 950×500×58 mm
- Optional battery operation, 4×1.5 V AA not included in scope of delivery, operating time up to 60 h
- Permissible ambient temperature 5 °C/35 °C
- Net weight approx. 19 kg

STANDARD



OPTION



Model	Weighing capacity [Max] kg	Readability [d] g	Options
			Calibr. Certificate DAkKS accr. KERN
KERN			
EOS 150K50XL	150	50	963-129
EOS 300K100XL	300	100	963-129